

LED Sensor Shop Light



APPLICATION

Application Suitable for indoor lighting in hotels, homes, cafes, shopping malls, offices, factories, hospitals, etc



SPECIFICATIONS

Item No.	ERS-DL4WS-A	ERS-DL6WS-A	ERS-DL8WS-A
Power	4W	6W	8W
Input Voltage	AC220-240V,50Hz		
Efficiency	100lm/w		
Lumen	400lm	600lm	800lm
LED Type	SMD 2835		
CCT	3000-6500K		
CRI	Ra > 80		
Power Factor	> 0.9		
Beam Angle	120°		
IP Rating	IP20		
Material	Aluminium+PC		
Warranty	3 years		
Cutout (mm)	90		
Product Size (mm)	D115*60		
Dimming Type	Daylight & Microwave Motion Sensor		



1300 IPROMISE



info@ipromiseaustralia.com.au



110 Keilor Rd, Essendon North, VIC 3041



SPECIFICATIONS

Item No.	ERS-DL6WS-B	ERS-DL8WS-B	ERS-DL10WS-B
Power	6W	8W	10W
Input Voltage	AC220-240V,50Hz		
Efficiency	100lm/w		
Lumen	600lm	800lm	1000lm
LED Type	SMD 2835		
CCT	3000-6500K		
CRI	Ra > 80		
Power Factor	> 0.9		
Beam Angle	120°		
IP Rating	IP20		
Material	Aluminium+PC		
Warranty	3 years		
Cutout (mm)	110		
Product Size (mm)	D140*65		
Dimming Type	Daylight & Microwave Motion Sensor		

SPECIFICATIONS

Item No.	ERS-DL8WS-C	ERS-DL10WS-C	ERS-DL12WS-C
Power	8W	10W	12W
Input Voltage	AC220-240V,50Hz		
Efficiency	100lm/w		
Lumen	800lm	1000lm	1200lm
LED Type	SMD 2835		
CCT	3000-6500K		
CRI	Ra > 80		
Power Factor	> 0.9		
Beam Angle	120°		
IP Rating	IP20		
Material	Aluminium+PC		
Warranty	3 years		
Cutout (mm)	140		
Product Size (mm)	D170*65		
Dimming Type	Daylight & Microwave Motion Sensor		



 1300 IPROMISE
 info@ipromiseaustralia.com.au
 110 Keilor Rd, Essendon North, VIC 3041



SPECIFICATIONS

Item No.	ERS-DL10WS-D	ERS-DL12WS-D	ERS-DL14WS-D
Power	10W	12W	14W
Input Voltage	AC220-240V,50Hz		
Efficiency	100lm/w		
Lumen	1000lm	1200lm	1400lm
LED Type	SMD 2835		
CCT	3000-6500K		
CRI	Ra > 80		
Power Factor	> 0.9		
Beam Angle	120°		
IP Rating	IP20		
Material	Aluminium+PC		
Warranty	3 years		
Cutout (mm)	150		
Product Size (mm)	D190*70		
Dimming Type	Daylight & Microwave Motion Sensor		

SPECIFICATIONS

Item No.	ERS-DL12WS-E	ERS-DL14WS-E	ERS-DL16WS-E
Power	12W	14W	16W
Input Voltage	AC220-240V,50Hz		
Efficiency	100lm/w		
Lumen	1200lm	1400lm	1600lm
LED Type	SMD 2835		
CCT	3000-6500K		
CRI	Ra > 80		
Power Factor	> 0.9		
Beam Angle	120°		
IP Rating	IP20		
Material	Aluminium+PC		
Warranty	3 years		
Cutout (mm)	200		
Product Size (mm)	D235*90		
Dimming Type	Daylight & Microwave Motion Sensor		



 1300 IPROMISE
 info@ipromiseaustralia.com.au
 110 Keilor Rd, Essendon North, VIC 3041

