

Product Category	Brand	Model	Product Type	Product Configuration	Product Unit Mount	GEMS Class	Heating Capacity (kW)	Cooling Capacity (kW)	AER	ACOP	GEMS HSPP Cold (kW)	GEMS HSPP Mixed (kW)	GEMS HSPP Cold (kW)	GEMS HSPP Mixed (kW)	GEMS TCSPP Cold (kW)	GEMS TCSPP Mixed (kW)	GEMS TCSPP Cold (kW)	GEMS TCSPP Mixed (kW)	Calculated HSPP Cold (kW)	Calculated HSPP Mixed (kW)	Calculated HSPP Cold (kW)	Calculated HSPP Mixed (kW)	Calculated TCSPP Cold (kW)	Calculated TCSPP Mixed (kW)	Refrigerant Type (GWP)	Status	Effective From
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11	15.00	12.50	3.574	3.888	3.539	4.119	3.357	3.916	6.008	5.521	4.609	4.484	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	15/05/2023
680i	Daikin	RTA132CV1 / FPD1A32V1	Ducted	Single split system	N/A	Class 11																					

Product Category	Brand	Model	Product Type	Product Configuration	Product Unit Mount	GEMS Class	Heating Capacity (kW)	Cooling Capacity (kW)	AEEAR	ACOP	GEMS HSPF Cold (com)	GEMS HSPF Mixed (com)	GEMS HSPF Cold (res)	GEMS HSPF Mixed (res)	GEMS TCSPP Cold (com)	GEMS TCSPP Mixed (com)	GEMS TCSPP Cold (res)	GEMS TCSPP Mixed (res)	Calculated HSPF Cold (com)	Calculated HSPF Mixed (com)	Calculated HSPF Cold (res)	Calculated HSPF Mixed (res)	Calculated TCSPP Cold (com)	Calculated TCSPP Mixed (com)	Calculated TCSPP Cold (res)	Calculated TCSPP Mixed (res)	Refrigerant Type (GWP)	Status	Effective From
65	Samsung Electronics	AM2000VGGV5A	Non-Ducted	Multiple split - variable refrigerant flow	Cassette	Class 21	63.00	56.00	3.136	3.601	3.708	4.200	3.479	4.057	5.439	5.055	4.484	4.290	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-410A	Approved	31/05/2023
65	Samsung Electronics	AM2200VGGV5A	Non-Ducted	Multiple split - variable refrigerant flow	Cassette	Class 21	69.30	61.60	3.092	3.521	3.628	4.217	3.420	3.983	5.431	5.042	4.370	4.195	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-410A	Approved	31/05/2023
65	Samsung Electronics	AM2200VGGV5A	Non-Ducted	Multiple split - variable refrigerant flow	Cassette	Class 21	69.30	61.60	3.092	3.521	3.628	4.217	3.420	3.983	5.431	5.042	4.370	4.195	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-410A	Approved	31/05/2023
6D	Samsung Electronics	AR09KXABWVX / AR09KXABWVN	Non-Ducted	Single split system	Wall hung	Class 8	3.20	2.50	3.807	5.047	4.752	5.006	4.639	4.984	8.241	7.762	6.628	6.504	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6D	Samsung Electronics	AR12KXABWVX / AR12KXABWVN	Non-Ducted	Single split system	Wall hung	Class 8	4.00	3.50	4.441	4.278	4.549	4.888	4.278	4.649	7.900	7.316	6.232	6.008	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6E(1)	Samsung Electronics	AR18KXABWVX / AR18KXABWVN	Non-Ducted	Single split system	Wall hung	Class 9	5.00	4.00	4.088	4.276	4.271	5.031	4.084	4.700	8.062	7.684	6.385	6.065	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6F	Silicon Electronics	BMV-V220WV(N)	Non-Ducted	Multiple split - variable refrigerant flow	Wall hung	Class 20	17.00	17.00	4.447	4.634	4.824	5.327	4.531	5.110	6.075	5.745	5.227	5.112	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-410A	Approved	31/05/2023
6F	Silicon Electronics	BMV-V220WV(N)	Non-Ducted	Multiple split - variable refrigerant flow	Wall hung	Class 20	20.00	18.00	4.164	4.875	4.933	5.480	4.626	5.264	5.812	5.486	5.008	4.877	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-410A	Approved	31/05/2023
6F	Silicon Electronics	BMV-V220WV(N)	Non-Ducted	Multiple split - variable refrigerant flow	Wall hung	Class 20	23.00	21.00	4.084	4.942	5.024	5.729	4.626	5.445	6.628	6.253	5.694	5.541	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-410A	Approved	31/05/2023
6D	Smart Lifestyle Australia	SIA-28-CHSD	Non-Ducted	Single split system	Wall hung	Class 8	2.72	2.45	4.958	5.300	5.362	5.466	4.992	5.427	9.942	9.590	8.056	7.647	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6D	Smart Lifestyle Australia	SIA-28-CHSD	Non-Ducted	Single split system	Wall hung	Class 8	2.65	2.40	5.008	5.542	5.948	5.317	4.755	5.161	10.221	9.848	8.593	8.162	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6D	Smart Lifestyle Australia	SIA-35-CHSD	Non-Ducted	Single split system	Wall hung	Class 8	3.80	3.50	4.412	4.560	5.052	5.759	4.501	5.216	8.827	7.628	7.005	6.716	0.000	0.000	0.000	0.000	8.827	7.628	0.000	0.000	R-32	Approved	31/05/2023
6E(1)	Smart Lifestyle Australia	SIA-52-CHSD	Non-Ducted	Single split system	Wall hung	Class 9	5.00	5.20	3.869	4.273	4.065	4.435	3.848	4.276	8.746	7.849	6.749	6.224	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6E(1)	Smart Lifestyle Australia	SIA-72-CHSD	Non-Ducted	Single split system	Wall hung	Class 9	7.20	7.00	3.756	4.353	4.055	4.547	3.725	4.297	7.270	6.844	5.205	5.033	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6E(1)	Smart Lifestyle Australia	SIA-83-CHSD	Non-Ducted	Single split system	Wall hung	Class 9	8.50	8.20	3.536	3.665	4.140	4.693	3.756	4.376	7.060	6.260	5.165	4.506	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6F	Smart User	SMV-V370WV(N)	Non-Ducted	Multiple split - variable refrigerant flow	Wall hung	Class 20	17.00	17.00	4.447	4.634	4.824	5.327	4.531	5.110	6.075	5.745	5.227	5.112	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-410A	Approved	31/05/2023
6F	Smart User	SMV-V330WV(N)	Non-Ducted	Multiple split - variable refrigerant flow	Wall hung	Class 20	19.00	19.00	4.295	5.238	5.129	5.400	4.934	5.447	6.619	6.205	5.568	5.308	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-410A	Approved	31/05/2023
6F	Smart User	SMV-V220WV(N)	Non-Ducted	Multiple split - variable refrigerant flow	Wall hung	Class 20	20.00	18.00	4.164	4.875	4.933	5.480	4.626	5.264	5.812	5.486	5.008	4.877	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-410A	Approved	31/05/2023
6D	SPT	AWD2B-C / AWD2B	Non-Ducted	Single split system	Wall hung	Class 8	2.85	2.80	5.454	5.551	5.460	5.826	5.237	5.667	10.914	9.430	8.347	8.003	0.000	0.000	0.000	0.000	10.914	9.430	0.000	0.000	R-32	Approved	31/05/2023
6E(1)	SPT	AWD52-C / AWD52	Non-Ducted	Single split system	Wall hung	Class 9	5.60	5.20	4.296	4.398	4.209	4.739	3.906	4.541	7.988	8.586	6.289	6.028	0.000	0.000	0.000	0.000	7.988	8.586	0.000	0.000	R-32	Approved	31/05/2023
6E(1)	SPT	AWD72-C / AWD72	Non-Ducted	Single split system	Wall hung	Class 9	8.30	7.30	3.876	4.105	4.248	4.660	3.952	4.414	6.046	7.012	5.494	5.440	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6D	TCL	TAC-09CHSDV5H	Non-Ducted	Single split system	Wall hung	Class 8	2.65	2.80	5.108	5.542	4.948	5.317	4.753	5.161	10.221	9.848	8.593	8.163	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6E(1)	TCL	TAC-18CHSD7PM11T	Non-Ducted	Single split system	Wall hung	Class 9	5.20	5.20	3.670	4.273	4.063	4.435	3.843	4.276	8.748	7.149	5.234	5.234	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6E(1)	TCL	TAC-24CHSD7PM11T	Non-Ducted	Single split system	Wall hung	Class 9	7.20	7.20	3.756	4.184	4.055	4.547	3.735	4.297	7.370	6.444	5.205	5.033	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6E(1)	TCL	TAC-28CHSD7PM11T	Non-Ducted	Single split system	Wall hung	Class 9	8.50	8.20	3.536	3.666	4.140	4.693	3.756	4.376	7.060	6.260	5.165	4.926	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6B(1)	Teco	TDS-T50140VHVGD5	Ducted	Single split system	Under Ceiling	Class 11	16.00	14.00	3.533	3.772	3.834	4.272	3.540	4.069	6.852	6.149	4.808	4.693	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6B(1)	Teco	TDS-T50140VHVGD5	Non-Ducted	Single split system	Under Ceiling	Class 11	18.00	16.00	3.110	3.844	4.027	4.584	3.618	4.261	5.044	4.896	4.006	4.823	0.000	0.000	0.000	0.000	5.044	4.896	0.000	0.000	R-32	Approved	31/05/2023
6F	Teco	TCMD106VAVG5	Non-Ducted	Multiple split - fixed head	Wall hung	Class 20	11.40	10.60	5.947	5.951	4.261	4.824	3.901	4.546	6.835	6.372	5.439	5.236	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6F	Teco	TCMD123VAVG5	Non-Ducted	Multiple split - fixed head	Wall hung	Class 20	12.40	12.30	5.977	5.888	4.388	5.016	3.971	4.676	6.930	6.448	5.499	5.277	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6E(1)	Teco	TCMDT39VAVG5	Non-Ducted	Multiple split - fixed head	Wall hung	Class 19	8.50	7.30	3.673	4.094	4.190	4.762	3.840	4.510	6.204	5.798	4.945	4.782	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6E(1)	Teco	TCMDT62VAVG5	Non-Ducted	Multiple split - fixed head	Wall hung	Class 19	8.80	8.20	4.385	4.086	4.189	4.768	3.837	4.555	6.713	6.243	5.354	5.245	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6F	Toshiba	MYM-MHP0804P-A	Non-Ducted	Multiple split - variable refrigerant flow	N/A	Class 20	18.00	15.50	3.658	3.997	4.117	4.725	3.673	4.339	6.301	6.037	4.916	4.736	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-410A	Approved	31/05/2023
6F	Toshiba	MYM-MHP0801P-A	Non-Ducted	Multiple split - variable refrigerant flow	N/A	Class 20	25.00	22.45	4.358	4.587	4.567	5.749	4.676	4.957	7.743	7.301	6.891	6.578	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-410A	Approved	31/05/2023
6F	Toshiba	MYM-MHP0501P-A	Non-Ducted	Multiple split - variable refrigerant flow	N/A	Class 20	31.50	28.00	3.852	4.357	4.241	4.886	3.766	4.468	7.366	6.727	6.874	6.468	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-410A	Approved	31/05/2023
6D	Toshiba	RAS-18B2AVG-A / RAS-18B2VGV-A	Non-Ducted	Single split system	Wall hung	Class 8	3.20	2.50	4.518	4.889	4.742	5.211	4.656	5.215	9.719	9.218	8.059	7.527	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6D	Toshiba	RAS-18B2AVG-A / RAS-18B2VGV-A	Non-Ducted	Single split system	Wall hung	Class 8	4.00	3.50	4.357	4.477	4.689	5.410	4.217	5.097	7.474	6.816	5.666	5.536	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6E(1)	Toshiba	RAS-18B2AVG-A / RAS-18B2VGV-A	Non-Ducted	Single split system	Wall hung	Class 9	5.60	5.00	3.722	4.048	4.067	4.872	3.718	4.403	6.938	6.223	5.144	4.961	0.000	0.000	0.000	0.000	6.938	6.223	5.144	4.961	R-32	Approved	31/05/2023
6E(1)	Toshiba	RAS-18KXAVG-A/RAS-18KXVGV-A	Non-Ducted	Single split system	Wall hung	Class 9	5.80	5.00	3.836	4.133	4.413	4.943	4.022	4.581	6.963	5.922	5.389	5.125	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6E(1)	Toshiba	RAS-22B2AVG-A/RAS-22B2VGV-A	Non-Ducted	Single split system	Wall hung	Class 9	6.90	6.00	3.811	4.075	4.091	4.980	3.725	4.380	6.291	5.816	5.345	5.080	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6E(1)	Toshiba	RAS-24B2AVG-A/RAS-24B2VGV-A	Non-Ducted	Single split system	Wall hung	Class 9	8.00	7.10	3.770	3.993	3.966	4.712	3.648	4.281	6.564	5.999	4.916	4.824	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	R-32	Approved	31/05/2023
6E(1)	Toshiba	RAS-24J18B2AVG-A	Non-Ducted	Multiple split - fixed head	N/A	Class 19	5.60	5.20	4.297	4.869																			